

WAL DRAM- meclizine hcl tablet
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- alcohol, sedatives, and tranquilizers may increase drowsiness
- drowsiness may occur
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, take the first dose 1/2 hour to 1 hour before starting activity
- to treat motion sickness, take at first signs of symptoms
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide

Questions of comments?

1-800-426-9391

Principal Display Panel

Walgreens

Compare to Dramamine® All Day Less Drowsy active ingredient††

NDC 0363-0403-21

Wal-Dram® 2

MECLIZINE HCl TABLETS, 25 mg / ANTIEMETIC

ALL DAY RELIEF LESS DROWSY FORMULA

- Helps prevent nausea & dizziness due to motion sickness
- All-day relief of motion sickness

16 TABLETS

Actual Size

†Walgreens Pharmacist Survey

††This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® All Day Less Drowsy.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Walgreens

Wal-Dram[®] 2

MECLIZINE HCl TABLETS, 25 mg / ANTIEMETIC

ALL DAY RELIEF
LESS DROWSY FORMULA


- Helps prevent nausea & dizziness due to motion sickness
- All-day relief of motion sickness

16

TABLETS

Compare to Dramamine[®] All Day
Less Drowsy active ingredient^{††}

NDC 0363-0403-21



ACTUAL SIZE


DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens

100% SATISFACTION GUARANTEED

walgreens.com ©2017 Walgreen Co.

ITEM 501197 W00000-0000-0



3 11917 04695 2

Drug Facts (continued)

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet) Meclizine HCl, 25 mg. Antiemetic

Purpose Uses for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings Do not use for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ avoid alcoholic beverages

Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from heat and humidity ■ see end flap for expiration date and lot number

Inactive ingredients aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide

Directions ■ to prevent motion sickness, take the first dose ½ hour to 1 hour before starting activity ■ to treat motion sickness, take at first signs of symptoms ■ adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Questions or comments? 1-800-426-9391

50844 REV0219B40321

†Walgreens Pharmacist Survey
‡This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine[®] All Day Less Drowsy.

ORG1217-F
REV0419

B-2201-403-21-H
REV0219B40321

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Do not print Lot & Exp

Health expertise you rely on, quality you trust.

RECOMMENDED
Walgreens
PHARMACIST

Walgreens 44-403

WAL DRAM

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0403
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0403-21	2 in 1 CARTON	06/24/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	06/24/2002	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-0403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-0403)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(0363-0403)

Revised: 3/2021

Walgreen Company